

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:  
John I. Lipp

Serial No.: 10/023,346

Filed: 12/17/2001

For: Kalman Filter With Adaptive Measurement  
Variance Estimator

Group Art Unit: 2124

Examiner: TAN V. MAI

Atty. Dkt. No.: 2063.001700

Client Docket: VS-00533

Confirmation: 7997

**REQUEST FOR CERTIFICATE OF CORRECTION**

ATTN: Certificate of Corrections Branch  
Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

The patentee requests a certificate of correction for Patent and Trademark Office ("PTO") errors pursuant to 37 C.F.R. § 1.322.

The Commissioner is authorized to charge the fee the \$100 fee to Williams, Morgan & Amerson, P.C. Deposit Account Number 50-0786/2063.001700.

The following error is listed on the attached form PTO/SB/44:


In the Assignee, replace "Lockheed Martin" with - - Lockheed Martin Corporation - -.

Respectfully submitted,

WILLIAMS, MORGAN & AMERSON, P.C.

Date: April 18, 2007

10333 Richmond, Suite 1100  
Houston, Texas 77042  
(713) 934-7000  
(713) 934-7011 (facsimile)

By: /Jeffrey A. Pyle/   
Jeffrey A. Pyle, Reg. No. 34,904  
ATTORNEY FOR APPLICANT

# UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : 7,209,938  
 DATED : April 24, 2007  
 INVENTOR(S) : John I. Lipp

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Assignee, replace "Lockheed Martin" with -- Lockheed Martin Corporation--.

MAILING ADDRESS OF SENDER:  
 Jeffrey A. Pyle  
 WILLIAMS, MORGAN & AMERSON, P.C.  
 10333 Richmond, Suite 1100  
 Houston, Texas 77042

PATENT NO.  
 No. of add'l. copies  
 @ 50¢ per page

